

University of Groningen

In vivo imaging of dopamine and serotonin release

Udo de Haes, Joanna Irene

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2005

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Udo de Haes, J. I. (2005). *In vivo imaging of dopamine and serotonin release: response to psychopharmacological challenges*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

PUBLICATIONS

Papers

Rabiner EA, Wilkins MR, Turkheimer F, Gunn RN, de-Haes JU, de-Vries M, Grasby PM (2002). 5-Hydroxytryptamine_{1A} receptor occupancy by novel full antagonist 2-[4-[4-(7-chloro-2,3-dihydro-1,4-benzodioxyn-5-yl)-1-piperazinyl]butyl]-1,2-benzisothiazol-3-(2H)-one-1,1-dioxide: a [¹¹C][O-methyl-3H]-N-(2-(4-(2-methoxyphenyl)-1-piperazinyl)ethyl)-N-(2-pyridinyl)cyclohexanecarboxamide trihydrochloride (WAY-100635) positron emission tomography study in humans. *J. Pharmacol. Exp. Ther.* 301(3): 1144-1150.

Udo de Haes JI, Bosker FJ, Van Waarde A, Pruim J, Willemsen AT, Vaalburg W, Den Boer JA (2002). 5-HT_{1A} receptor imaging in the human brain: effect of tryptophan depletion and infusion on [(18)F]MPPF binding. *Synapse* 46(2): 108-115.

Udo de Haes JI, Cremers TIFH, Bosker FJ, Postema F, Tiemersma-Wegman TD, den Boer JA (2005). Effect of increased serotonin levels on [18F]MPPF binding in rat brain: fenfluramine vs. the combination of citalopram and ketanserin. *Neuropsychopharmacology* 30: 1624-1631.

Udo de Haes JI, Harada N, Elsinga PH, Maguire RP, Tsukada H. Effect of fenfluramine-induced increases in serotonin release on [¹⁸F]MPPF binding: a continuous infusion PET study in conscious monkeys. *Synapse*, in press.

Udo de Haes JI, Kortekaas R, van Waarde A, Maguire RP, Pruim J, den Boer JA. Assessment of methylphenidate-induced changes in binding of continuously infused [¹¹C]-raclopride in healthy human subjects: correlation with subjective effects. *Psychopharmacology*, in press.

Udo de Haes JI, Maguire RP, Jager PL, Paans A, den Boer JA. Methylphenidate-induced activation of the anterior cingulate but not the striatum: a [¹⁵O]H₂O PET study in healthy volunteers. Submitted.

Jongsma ME, van der Hart MCG, Udo de Haes JI, Cremers TIFH, Westerink BHC, den Boer JA, Bosker FJ. Augmentation strategies to improve treatment of major depression. Submitted.

Abstracts and oral presentations

De Vries MH, Udo de Haes JI, Long SK, Grahnen A, Nyman L, Bergstrom M, Wall A, Langstrom B (2000). DU 127090: A highly potent, atypical dopamine receptor ligand – Pilot study of dopamine D₂ receptor occupancy after multiple oral administration of DU 127090 to healthy male volunteers, using ¹¹C-raclopride by means of positron emission tomography. *European Neuropsychopharmacology* 10, Suppl 3: Abstract S294.

Udo de Haes JI, Elsinga PH, ter Horst GJ, Korf J, Passchier J, Pruim J, van Waarde A, Willemsen A, den Boer JA, Vaalburg W (2001). Measurement of changes in brain serotonin using PET and 18F-MPPF. *Neuroimage* 13: Abstract S1107.

Udo de Haes JI, den Boer JA, Korf J, Passchier J, Vaalburg W (2001). Measurement of changes in brain 5-HT using PET and 18F-MPPF. *World Journal of Biological Psychiatry* 2, Suppl 1: O023-09. Oral presentation at the 7th World Congress of Biological Psychiatry, Berlijn, Duitsland.

Udo de Haes JI, Cremers TIFH, Bosker FJ, Postema F, Tiemersma-Wegman TD, den Boer JA. (2003). Effect of increased serotonin release on [¹⁸F]MPPF binding in rat brain: fenfluramine vs. the combination of citalopram and ketanserin. In: Kehr J., Fuxe K., Ungerstedt U., Svensson T. Editors, *Monitoring Molecules in Neuroscience*: 296-297. Oral presentation at the 10th International Conference on In Vivo Methods, Karolinska Institute, Stockholm, Zweden.

Udo de Haes JI, Harada N, Elsinga PH, Maguire RP, Tsukada H (2003). Effect of fenfluramine-induced increases in serotonin release on [¹⁸F]MPPF binding: a PET study in conscious monkeys. *SFN abstracts* 460.23-M.

Udo de Haes JI, Tsukada H, Harada N, Cremers TIFH, Elsinga PH, Maguire RP, den Boer JA (2004). Effect of fenfluramine-induced increases in serotonin release on [¹⁸F]MPPF binding in conscious rats and monkeys. *Neuroimage* 22 Suppl 2: Abstract T133.

Udo de Haes JI, Maguire RP, Paans A, Jager PL, den Boer JA (2005). Methylphenidate-induced changes in regional cerebral blood flow: a [¹⁵O]H₂O PET study in healthy volunteers. *Brain '05 abstract* 374.